

Safety Data Sheet

Acetone

SECTION I - IDENTIFICATION



DATE PREPARED: 9/9/1996
REVISION DATE: 5/29/2014
CHEMTEL: 800-255-3924
PRODUCT CODE: ACE

ADDRESS: 2141 Palomar Airport Rd. Suite 125
Carlsbad, CA 92011

EMERGENCY PHONE NUMBER: (800) 255-3924

PRODUCT NAME: Acetone

CHEMICAL FAMILY:

CAS NUMBER: 67-64-1

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Flammable Liquids	Category 2
Acute Toxicity, Oral	Category 4
Skin Corrosion/Irritation	Category 3
Serious Eye Damage/Eye Irritation	Category 2A

DANGER!

GHS LABEL:



Hazard Statements

H225	Highly flammable gas and vapor
H302	Harmful if swallowed
H316	Causes mild skin irritation
H319	Causes serious eye irritation

Safety Data Sheet

Acetone

Precautionary Statements

- P210 Keep away from heat/sparks/open flames/hot surface - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/light/equipment, etc.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
- P330 Rinse mouth.
- P332+313 If skin irritation occurs: get medical advice/attention.
- P337+313 If eye irritation persists get medical advice/attention.
- P370+378 In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.
- P403+235 Store in a well ventilated place. Keep cool.
- P501 Dispose of contents/container to an approved waste disposal plant.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
2- Propanone	67-64-1	100%	750 ppm	500 ppm

SECTION IV - FIRST AID MEASURES

Contact with eyes: Flush with water for 15 minutes. Seek immediate medical attention.

Skin contact: Wash exposed areas with water and mild soap. Remove contaminated clothing immediately and launder before reuse. If irritations persist, seek immediate medical attention.

Safety Data Sheet

Acetone

Inhalation: Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

Ingestion: If swallowed. Do not induce vomiting. Seek immediate medical attention.

SECTION V - FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, CO₂, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

Unusual Fire Fighting Hazards: Product is flammable and may be ignited by heat, sparks, flames or other sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical equipment). Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distance to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can explode in the heat of a fire.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Keep all sources of ignition and hot metal surfaces away from spill or release.
Evacuate all unprotected personnel from the area.

Environmental Precautions: Prevent liquid from entering drains, sewers or waterways.
Contain spill if it can be done with minimal risk.
Notify proper authorities.

Methods for Cleaning Up: Use foam on spills to minimize vapors.
Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

SECTION VII - HANDLING AND STORAGE

Handling and Storage:

- NFPA Class I storage.
- Vent container carefully before opening.
- Bond and ground all equipment when transferring from one vessel to another. The use of explosion-proof equipment is recommended.
- "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
- Keep containers tightly closed when not in use.
- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.

Safety Data Sheet

Acetone

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
2- Propanone	67-64-1	750 ppm	500 ppm

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

Monitoring: Follow accepted work practices for handling a flammable material.
Do not eat, drink or smoke in areas where this chemical is used or stored.
Have eye wash stations and safety showers readily available.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

Skin Protection: Impervious solvent resistant gloves.
Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, Colorless Liquid
Odor	Strong Ketone Odor
pH@25°C	-
Melting/Freezing Point	-
Boiling Point	56°C (133°F)
Flashpoint	-0.4°F (-18°C); TCC
Specific Gravity	0.79
Solubility	Complete
Auto-Ignition Temperature	-
Decomposition Temperature	-
VOC Content	0%
Odor Threshold	-
Boiling Range	133°F
Evaporation Point	11.6(Butyl Acetate=1)
Flammable Limits - Upper	12.8%
Flammable Limits - Lower	2.5%
Vapor Pressure	184 mmHg @ 20°C
Vapor Density (Air=1)	2 (Air=1)
Viscosity	-

SECTION X - STABILITY AND REACTIVITY

Safety Data Sheet

Acetone

- Stability:** Stable
- Conditions to Avoid:** Extreme heat and ignition sources.
- Hazardous Decomposition/Byproducts:** CO, CO₂, and various hydrocarbons under combustion conditions.
- Hazardous Polymerization:** Will not occur.
- Polymerization Conditions to Avoid:** None

SECTION XI - TOXICOLOGICAL INFORMATION

- Likely Route of Exposure:** Contact and inhalation; ingestion possible.
- Inhalation:** Low to moderate degree of toxicity by inhalation.
May cause respiratory tract irritation. Inhalation of vapors may cause drowsiness and dizziness.
- Eye Contact:** Causes eye irritation including stinging, watering and redness which may result in corneal injury.
Prolonged contact can result in chemical burns and permanent tissue damage.
High vapor concentrations are irritating to the eyes.
- Skin Contact:** Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin.
No harmful effects from skin adsorption are expected.
- Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.
May produce CNS depression and kidney damage which may be fatal.

Toxicity:

Component Name	LD50	LC50
2- Propanone	Oral - mouse - 3,000 mg/kg	Inhalation - mouse - 4H/44,000 mg/m ³

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

SECTION XII - ECOLOGICAL INFORMATION

- Ecotoxicity:** Information not available.

Safety Data Sheet

Acetone

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow local and national regulations. Consult disposal expert. Can be disposed of by controlled incineration. Excessive quantities should not be permitted to enter drains, sewers, or water courses. Empty containers should be air dried before disposing.

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Acetone

Contains:

Hazard Class and Label: 3

Identification Number: UN 1090

Packaging Group: II

Label Required:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
X	N/A	X		

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

Component Name	CAS #	% by wt.	RQ (lbs.)
2- Propanone	67-64-1	100%	5,000

Safety Data Sheet

Acetone

SECTION XVI - OTHER INFORMATION

HMIS Health: 1

HMIS Flammability: 3

HMIS Reactivity: 0

Additional:

Specification Information

Department issuing data sheet: Compliance

Email address: compliance@transcheminc.com

Training necessary: Follow all local, state and federal regulations

Intended Use of Product:

Seller and manufacturer disclaim any implied or expressed warranties, including warranties of merchantability or fitness of this product for any particular purpose. In no event shall seller be liable for any claim for incidental or consequential damages arising out of or in connection with the sale, delivery, transportation or use of this product. Seller's and manufacturer's liability in all events is limited to, and shall not exceed the purchase price paid for this product.