

Safety Data Sheet

Ethyl Acetate 99%

SECTION I - IDENTIFICATION



DATE PREPARED: 10/3/1994
REVISION DATE: 5/29/2014
CHEMTEL: 800-255-3924
PRODUCT CODE: EA

ADDRESS: 2141 Palomar Airport Rd. Suite 125
Carlsbad, CA 92011

EMERGENCY PHONE NUMBER: (800) 255-3924

PRODUCT NAME: Ethyl Acetate 99%

CHEMICAL FAMILY:

CAS NUMBER: 141-78-6

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Flammable Liquids

Category 2

Serious Eye Damage/Eye Irritation

Category 2A

Specific target organ toxicity, single exposure, N

Category 3

DANGER!

GHS LABEL:



Hazard Statements

H225 Highly flammable gas and vapor

H319 Causes serious eye irritation

H336 May cause dizziness or drowsiness

Safety Data Sheet

Ethyl Acetate 99%

Precautionary Statements

- P210 Keep away from heat/sparks/open flames/hot surface - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/light/equipment, etc.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated are.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
- P312 Call a POISON CENTER or a doctor/physician if you feel unwell.
- P337+313 If eye irritation persists get medical advice/attention.
- P370+378 In case of fire: Usedry sand, dry chemical, or alcohol-resistant foam for extinction.
- P403+233 Store in a well ventilated place. Keep container tightly closed.
- P403+235 Store in a well ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container to an approved waste disposal plant.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Ethyl Acetate	141-78-6	> 99%	400 ppm	400 ppm

Safety Data Sheet

Ethyl Acetate 99%

SECTION IV - FIRST AID MEASURES

- Contact with eyes:** Flush with water for 15 minutes. Seek immediate medical attention.
- Skin contact:** Wash exposed areas with water and mild soap. Remove contaminated clothing immediately and launder before reuse. If irritations persist, seek immediate medical attention.
- Inhalation:** Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.
- Ingestion:** Induce vomiting.

SECTION V - FIREFIGHTING MEASURES

- Suitable Extinguishing Media:** Water fog, foam, CO₂, dry chemical.
- Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.
- Unusual Fire Fighting Hazards:** Product is flammable and may be ignited by heat, sparks, flames or other sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical equipment). Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distance to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can explode in the heat of a fire.

SECTION VI - ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Keep all sources of ignition and hot metal surfaces away from spill or release.
Evacuate all unprotected personnel from the area.
- Environmental Precautions:** Prevent liquid from entering drains, sewers or waterways.
Contain spill if it can be done with minimal risk.
Notify proper authorities.
- Methods for Cleaning Up:** Use foam on spills to minimize vapors.
Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

SECTION VII - HANDLING AND STORAGE

- Handling and Storage:**
- NFPA Class I storage.
 - Vent container carefully before opening.
 - Bond and ground all equipment when transferring from one vessel to another. The use of explosion-proof equipment is recommended.
 - "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
 - Keep containers tightly closed when not in use.

Safety Data Sheet

Ethyl Acetate 99%

- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Ethyl Acetate	141-78-6	400 ppm	400 ppm

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

Monitoring: Follow accepted work practices for handling a flammable material.
Do not eat, drink or smoke in areas where this chemical is used or stored.
Have eye wash stations and safety showers readily available.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

Skin Protection: Impervious solvent resistant gloves.
Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, Colorless Liquid
Odor	Distinct Acetate Odor
pH@25°C	-
Melting/Freezing Point	-
Boiling Point	171°F
Flashpoint	24°F, TCC
Specific Gravity	0.902
Solubility	Slight
Auto-Ignition Temperature	-
Decomposition Temperature	-
VOC Content	100%
Odor Threshold	-
Boiling Range	171°F
Evaporation Point	6 (Butyl Acetate=1)
Flammable Limits - Upper	11.0%
Flammable Limits - Lower	2.2%
Vapor Pressure	73 mmHg @ 20°C
Vapor Density (Air=1)	3.0 (Air=1)
Viscosity	-

Safety Data Sheet

Ethyl Acetate 99%

SECTION X - STABILITY AND REACTIVITY

- Stability:** Stable
- Conditions to Avoid:** Extreme heat and ignition sources.
- Hazardous Decomposition/Byproducts:** CO, CO₂, and various hydrocarbons under combustion conditions.
- Hazardous Polymerization:** Will not occur.
- Polymerization Conditions to Avoid:** None

SECTION XI - TOXICOLOGICAL INFORMATION

- Likely Route of Exposure:** Contact and inhalation; ingestion possible.
- Inhalation:** May cause irritation to the upper respiratory tract and CNS depression. Low to moderate degree of toxicity by inhalation. Chronic overexposure may result in irritation or tissue damage and an increased susceptibility to respiratory illness, and permanent lung damage.
- Eye Contact:** Causes eye irritation including stinging, watering and redness which may result in corneal injury.
- Skin Contact:** Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin. No harmful effects from skin adsorption are expected. Repeated contact can lead to skin sensitization.
- Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema. Low degree of toxicity by ingestion.

Toxicity:

Component Name	LD50	LC50
Ethyl Acetate	Oral - Rat - 5,620 mg/kg; Dermal - Rabbit - > 18,000 mg/kg	Inhalation - Mouse - 2 h - 45,000 mg/m ³

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Safety Data Sheet

Ethyl Acetate 99%

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow local and national regulations. Consult disposal expert. Can be disposed of by controlled incineration. Excessive quantities should not be permitted to enter drains, sewers, or water courses. Empty containers should be air dried before disposing.

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Ethyl Acetate

Contains:

Hazard Class and Label: 3

Identification Number: UN 1173

Packaging Group: II

Label Required:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
X	X	X		

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

Component Name	CAS #	% by wt.	RQ (lbs.)
Ethyl Acetate	141-78-6	> 99%	5,000

Safety Data Sheet

Ethyl Acetate 99%

SECTION XVI - OTHER INFORMATION

HMIS Health: 1

HMIS Flammability: 3

HMIS Reactivity: 0

Additional:

Specification Information

Department issuing data sheet: Compliance

Email address: compliance@transcheminc.com

Training necessary: Follow all local, state and federal regulations

Intended Use of Product:

Seller and manufacturer disclaim any implied or expressed warranties, including warranties of merchantability or fitness of this product for any particular purpose. In no event shall seller be liable for any claim for incidental or consequential damages arising out of or in connection with the sale, delivery, transportation or use of this product. Seller's and manufacturer's liability in all events is limited to, and shall not exceed the purchase price paid for this product.