n-Propyl Acetate

SECTION I - IDENTIFICATION



Transchem, Inc.

2141 Palomar Airport Rd. Suite 125

Carlsbad, CA 92011

(800) 783-2436

Chemtel Emergency Response: (800) 255-3924

PRODUCT NUMBER: NPAC

PRODUCT NAME: n-Propyl Acetate

CHEMICAL FAMILY:

 CAS NUMBER:
 109-60-4

 DATE PREPARED:
 5/1/1993

 REVISION NUMBER:
 5/29/2014

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Flammable Liquids
Category 2
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2A
Specific target organ toxicity, single exposure, R
Category 3

DANGER!

GHS LABEL:





Hazard Statements

H225 Highly flammable gas and vapor

H315 Causes skin irritation

H319 Causes serious eye irritation
H335 May cause respiratory irritation

n-Propyl Acetate

Precautionary Statements

Precautionary	<u>Statements</u>
P210	Keep away from heat/sparks/open flames/hot surface - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/light/equipment, etc.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+352	IF ON SKIN: Wash with soap and water.
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
P312	Call a POISON CENTER or a doctor/physician if you feel unwell.
P332+313	If skin irritation occurs: get medical advice/attention.
P337+313	If eye irritation persists get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370+378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.
P403+233	Store in a well ventilated place. Keep container tightly closed.
P403+235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to an approved waste disposal plant.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS#	Component%	OSHA PEL	ACGIH TLV
Acetic Acid Propyl Ester	109-60-4	> 99%	200 ppm	200 ppm
1-Propanol	71-23-8	< 1%	200 ppm	100 ppm

n-Propyl Acetate

SECTION IV - FIRST AID MEASURES

Contact with eyes: Flush with water for 15 minutes. Seek immediate medical attention.

Skin contact: Wash exposed areas with water and mild soap. Remove contaminated clothing

immediately and launder before reuse. If irritations persist, seek immediate medical

attention.

Inhalation: Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is

affected or stopped. Seek immediate medical attention if symptoms persist.

Ingestion: If swallowed. Do not induce vomiting. Seek immediate medical attention.

SECTION V - FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, CO2, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas.

Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water

used for cooling.

Unusual Fire Fighting Hazards: Product is flammable and may be ignited by heat, sparks, flames or other

sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical

equipment). Vapors are heavier than air and may accumulate in low

areas. Vapors may travel considerable distances to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can

explode in the heat of a fire.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Keep all sources of ignition and hot metal surfaces away from spill or

release.

Evacuate all unprotected personnel from the area.

Environmental Precautions: Prevent liquid from entering drains, sewers, waterways, ground and

surface water or soil.

Contain spill if it can be done with minimal risk.

Notify proper authorities.

Methods for Cleaning Up: Use foam on spills to minimize vapors.

Using only non-sparking tools and explosion proof equipment, collect

spill on absorbent material and put into approved container.

n-Propyl Acetate

SECTION VII - HANDLING AND STORAGE

Handling and Storage:

- NFPA Class I storage.
- Vent container carefully before opening.
- Bond and ground all equipment when transferring from one vessel to another. The use of explosion-proof equipment is recommended.
- "Empty" containers retain residue and/or vapor and may be dangerous.
 Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
- Keep containers tightly closed when not in use.
- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component Name	CAS#	OSHA PEL	ACGIH TLV
Acetic Acid Propyl Ester	109-60-4	200 ppm	200 ppm
1-Propanol	71-23-8	200 ppm	100 ppm

Engineering Controls: Adequate local or mechanical ventilation to reduce vapor or mist to below

the PEL or TLV.

Monitoring: Follow accepted work practices for handling a flammable material.

Do not eat, drink or smoke in areas where this chemical is used or stored.

Have eye wash stations and safety showers readily available.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields; do not wear contact

lenses when handling this product.

Skin Protection: Impervious solvent resistent gloves.

Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is

unknown or above the OSHA PEL or ACGIH TLV.

n-Propyl Acetate

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear Liquid		
Odor	Fruity Odor		
pH@25°C	-		
Melting/Freezing Point	N/A		
Flashpoint	55°F. TCC		
Specific Gravity	0.887 ±0.02		
Soluability	2%		
Auto-Ignition Temperature	-		
Decomposition Temperature	-		
VOC Content	100% (7.39#/gal)		
Odor Threshold	-		
Boiling Range	215°F		
Evaporation Point	2.3 (Butyl Acetate=1)		
Flammable Limits - Upper	7.95		
Flammable Limits - Lower	1.71		
Vapor Pressure	23 mmHg		
Vapor Density (Air=1)	3.5 (Air=1)		
Viscosity	-		

SECTION X - STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: None

Hazardous Decomposition/Byproducts: Oxides of carbon and nitrogen under incomplete combustion

conditions.

Hazardous Polymerization: Will not occur.

Polymerization Conditions to Avoid: None

n-Propyl Acetate

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Contact and inhalation; ingestion possible.

Inhalation: Inhalation of material may aggravate asthma and inflammatory or

fibrotic pulmonary disease. High vapor concentrations may cause

drowsiness and irritation.

Eye Contact: Causes eye irritation including stinging, watering and redness which

may result in corneal injury.

Skin Contact: Contact may cause mild skin irritation including redness, burning and

drying/cracking of the skin.

Ingestion: Low degree of toxicity by ingestion.

Toxicity:

Component Name	LD50	LC50
Acetic Acid Propyl Ester	Oral - Rat - 8,700 mg/kg; Dermal - Rabbit - 17,800 mg/kg	Inhalation - Rat - 4 h/32 mg/l
1-Propanol	Oral - Rat - 8,038 mg/kg; Dermal - Rabbit - 4,000 mg/kg	Inhalation - Rat - 1 h - 20000 ppm

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

n-Propyl Acetate

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: N-Propyl Acetate

Contains:

Hazard Class and Label: 3

Identification Number: UN 1276

Packaging Group:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
		X		

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION

Additional:

n-Propyl Acetate

Specification Information

Department issuing data sheet: Compliance

Email address: compliance@transcheminc.com

Training necessary: Follow all Federal, State and local regulations.

Disclaimer:

Seller and manufacturer disclaim any implied or expressed warranties, including warranties of merchantability or fitness of this product for any particular purpose. In no event shall seller be liable for any claim for incidental or consequential damages arising out of or in connection with the sale, delivery, transportation or use of this product. Seller's and manufacturer's liability in all events is limited to, and shall not exceed the purchase price paid for this product.